



Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application.

Please cancel claims 1-55.

Claim 56 (New) A solid oral dosage form comprising

(a) a compound of the formula (I) or (II):



wherein

m is an integer from 0 to 1;

with the proviso that if m is 0 or 1, then

“HET” in the compound of formula (II) is a stable five- or six-membered monocyclic aromatic ring system composed of carbon atoms and one heteroatom, wherein the heteroatom is selected from the group consisting of N, O and S which may occupy any position in the ring whereby the resulting ring system is stable;

A is selected from the group consisting of -C(O)-, SO₂ and CH₂;

Y is selected from the group consisting of CH₂ and CH as part of an olefin;

X is selected from the group consisting of CH₂, CH as part of an olefin, NR₃, S and O;

with the proviso that if Y is CH as part of an olefin, then X is CH as part of an olefin;

Z is selected from the group consisting of N and CH;

R₁ is one to two substituents independently selected from the group consisting of hydrogen, alkyl, alkoxy, halogen, aminoalkyl and nitro;

Ar is selected from naphthyl, wherein naphthyl is optionally substituted with from one to four substituents independently selected from C₁-C₈ alkyl, C₁-C₈ alkoxy, fluorinated C₁-C₈ alkyl, fluorinated C₁-C₈ alkoxy, halogen, cyano, hydroxy, amino, nitro, C₁-C₄ alkylamino and C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different); or phenyl, wherein phenyl is optionally substituted with from one to four substituents independently selected from C₁-C₈ alkyl, C₁-C₈ alkoxy, fluorinated C₁-C₈ alkyl, fluorinated C₁-C₈ alkoxy, C₁-C₈ aralkyl (wherein optionally the alkyl or aryl portions are independently substituted and the alkyl portion may be substituted with at least one fluorine and/or the aryl portion may be independently substituted with from one to two substituents selected from halogen, C₁-C₄ alkyl, C₁-C₆ alkylthio and hydroxyl), C₁-C₈ aralkoxy (wherein optionally the alkoxy or aryl portions are independently substituted and the alkoxy portion may be substituted with at least one fluorine and/or the aryl portion may be independently substituted with from one to two substituents selected from halogen, C₁-C₄ alkyl, C₁-C₆ alkylthio and hydroxyl), halogen, cyano, hydroxy, amino, nitro, C₁-C₈ alkylamino, C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different), (halo)₁₋₃(C₁-C₈)alkylthio, C₁-C₈ alkylsulfonyl, C₁-C₈ alkylthio, C₁-C₈ alkylsulfinyl, heteroaryl (optionally substituted with one to two substituents independently selected from C₁-C₈ alkyl) and phenyl (optionally substituted with from one to two substituents independently selected from C₁-C₄ alkyl, C₁-C₄ alkoxy, fluorinated C₁-C₄ alkyl, fluorinated C₁-C₄ alkoxy, halogen, cyano, hydroxy, amino, nitro, C₁-C₄ alkylamino, C₁-C₄ dialkylamino (wherein the alkyl groups on the amino

may be the same or different), C₁-C₄ alkylsulfonyl, C₁-C₄ alkylthio, and C₁-C₄ alkylsulfinyl);

R₂ is selected from the group consisting of NR₄COAr, NR₄CO-heteroaryl, NR₄Ar, CH=CH-Ar, CF=CH-Ar, CH=CF-Ar, CCl=CH-Ar, CH=CCl-Ar, CH=CH-heteroaryl, CF=CH-heteroaryl, CH=CF-heteroaryl, -CCl=CH-heteroaryl, CH=CCl-heteroaryl, OCH₂-Ar, OCH₂-heteroaryl, SCH₂-Ar and NR₄CH₂Ar;

R₃ is selected from the group consisting of hydrogen, acyl, alkyl, alkoxycarbonyl, alkylsulfonyl and arylsulfonyl;

R₄ is selected from the group consisting of hydrogen and C₁-C₄ alkyl;

R₅ is selected from the group consisting of hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, chlorine, fluorine, hydroxy, dialkylamino (wherein the alkyl groups on the amino may be the same or different), trifluoromethyl and trifluoromethoxy;

and pharmaceutically acceptable salts thereof; and

(b) pharmaceutically acceptable carriers.

Claim 57 (New). The solid oral dosage form of Claim 56 wherein “HET” of formula II is selected from the group consisting of thiophene, furan, pyrrole and pyridine;

A is -C(O)-;

Ar is naphthyl, wherein naphthyl is optionally substituted with from one to four substituents independently selected from trifluoromethyl, trifluoromethoxy, -NH-C₁-


C₄ alkyl M and -N-(C₁-C₄ alkyl)₂ (wherein the alkyl groups on the amino may be the same or different);

R₂ is NR₄COAr;

R₄ is selected from the group consisting of hydrogen and methyl.

Claim 58 (New) The solid oral dosage form of Claim 56 wherein R₄ is hydrogen.

Claim 59 (New) The solid oral dosage form of Claim 56 wherein the compound is of formula (III):



(III)

wherein

Y is selected from the group consisting of CH₂ and CH as part of an olefin;

X is selected from the group consisting of CH₂, CH as part of an olefin, NR₃, S and O;

with the proviso that if Y is CH as part of an olefin, then X is CH as part of an olefin;

R₁ is one to two substituents independently selected from the group consisting of hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, halogen, amino C₁-C₄ alkyl, ~~oxo~~ and nitro;

R₂ is NHCOAr;

R₃ is selected from the group consisting of hydrogen, acyl, C₁-C₄ alkyl, C₁-C₄ alkylsulfonyl and arylsulfonyl;

R₅ is selected from the group consisting of hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, chlorine, fluorine, hydroxy, dialkylamino (wherein the alkyl groups on the amino may be the same or different), trifluoromethyl and trifluoromethoxy;

and (b) a pharmaceutically acceptable carrier.

Claim 60 (New) The solid oral dosage form of Claim 59 wherein

Y is selected from the group consisting of CH₂ and CH as part of an olefin;

X is selected from the group consisting of CH₂, CH as part of an olefin, O and S;

with the proviso that if Y is CH as part of an olefin, then X is CH as part of an olefin;

A is -C(O)-;


Z is CH;

Ar is phenyl, wherein phenyl is optionally substituted with from one to four substituents independently selected from C₁-C₈ alkyl, C₁-C₈ alkoxy, fluorinated C₁-C₈ alkyl, fluorinated C₁-C₈ alkoxy, C₁-C₈ aralkyl (wherein optionally the alkyl or aryl portions are independently substituted and the alkyl portion may be substituted with at least one fluorine and/or the aryl portion may be independently substituted with from one to two substituents selected from halogen, C₁-C₄ alkyl, C₁-C₆ alkylthio and

hydroxyl), C₁-C₈ aralkoxy (wherein optionally the alkoxy or aryl portions are independently substituted and the alkoxy portion may be substituted with at least one fluorine and/or the aryl portion may be independently substituted with from one to two substituents selected from halogen, C₁-C₄ alkyl, C₁-C₆ alkylthio and hydroxyl), halogen, cyano, hydroxy, amino, nitro, C₁-C₈ alkylamino, C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different), (halo)₁₋₃(C₁-C₈)alkylthio, C₁-C₈ alkylsulfonyl, C₁-C₈ alkylthio, C₁-C₈ alkylsulfinyl, heteroaryl (optionally substituted with one to two substituents independently selected from C₁-C₈ alkyl) and phenyl (optionally substituted with from one to two substituents independently selected from C₁-C₄ alkyl, C₁-C₄ alkoxy, fluorinated C₁-C₄ alkyl, fluorinated C₁-C₄ alkoxy, halogen, cyano, hydroxy, amino, nitro, C₁-C₄ alkylamino, C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different), C₁-C₄ alkylsulfonyl, C₁-C₄ alkylthio, and C₁-C₄ alkylsulfinyl);

and (b) a pharmaceutically acceptable carrier.

Claim 61 (New) A solid oral dosage form comprising (a) a compound of the formula (IV):



Formula (IV)

wherein

X is selected from the group consisting of CH₂, S and O;

R₁ is one to two substituents independently selected from the group consisting of hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, halogen, amino C₁-C₄ alkyl and nitro;

R₅ is selected from the group consisting of hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, chlorine, fluorine, hydroxy, dialkylamino (wherein the alkyl groups on the amino may be the same or different), trifluoromethyl and trifluoromethoxy;

R₆ is selected from the group consisting of hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, phenyl (wherein the phenyl is optionally substituted with from one to two substituents independently selected from C₁-C₄ alkyl, C₁-C₄ alkoxy, fluorinated C₁-C₄ alkyl, fluorinated C₁-C₄ alkoxy, halogen, cyano, hydroxy, amino, nitro, C₁-C₄ alkylamino, C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different), C₁-C₄ alkylsulfonyl, C₁-C₄ alkylthio, and C₁-C₄ alkylsulfinyl); aralkyl (wherein the alkyl or aryl portions are optionally independently substituted and the alkyl portion may be substituted with at least one fluorine and/or the aryl portion may be


independently substituted with from one to two substituents selected from halogen, C₁-C₄ alkyl, C₁-C₆ alkylthio and hydroxyl), aralkoxy (wherein the alkoxy or aryl portions are optionally independently substituted and the alkoxy portion may be substituted with at least one fluorine and/or the aryl portion may be independently substituted with from one to two substituents selected from halogen, C₁-C₄ alkyl, C₁-C₆ alkylthio and hydroxyl), heteroaryl (optionally substituted with one to two substituents independently selected from C₁-C₄ alkyl and halogen), heteroaryl(C₁-C₈)alkyl (wherein the heteroaryl portion is optionally substituted with one to two substituents selected from C₁-C₈ alkyl), (halo)₁₋₃(C₁-C₄)alkylthio and halogen; and

R₇ is independently selected from the group consisting of hydrogen, fluorine, chlorine, iodine, hydroxyl, C₁-C₆ alkyl, C₁-C₆ alkoxy, fluorinated C₁-C₆ alkyl and combinations thereof, wherein R₇ represent one to four independently selected groups; and

(b) pharmaceutically acceptable carrier.

Claim 62 (New) The solid oral dosage form of claim 61 wherein the additive is selected from the group consisting of diluents, granulating agents, lubricants, binders, glidants, and disintegrating agents.

Claim 63 (New) A solid oral dosage form comprising (a) a compound of formula (IVa):



Formula (IVa)

wherein

Y is selected from the group consisting of CH₂ and CH as part of an olefin;

X is selected from the group consisting of CH₂, CH as part of an olefin, S and O;

with the proviso that if Y is CH as part of an olefin, then X is CH as part of an olefin;


R₅ is one to two substituents independently selected from the group consisting of hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, chlorine, fluorine, hydroxy, dialkylamino (wherein the alkyl groups may be the same or different), trifluoromethyl and trifluoromethoxy; and

(b) pharmaceutically acceptable carrier.

Claim 64 (New) The solid oral dosage form of claim 61 wherein the additive is selected from the group consisting of diluents, granulating agents, lubricants, binders, glidants, and disintegrating agents.

Claim 65 (New) A solid oral dosage form comprising (a) a compound of

formula (I):



wherein

A is selected from the group consisting of -C(O)-, SO₂ and CH₂;

Y is selected from the group consisting of CH₂ and CH as part of an olefin;

X is selected from the group consisting of CH₂, CH as part of an olefin, NR₃, S, O and SO₂;

with the proviso that if Y is CH as part of an olefin, then X is CH as part of an olefin;

Z is selected from the group consisting of N and CH;

R₁ is one to two substituents independently selected from the group consisting of hydrogen, alkyl, alkoxy, halogen, aminoalkyl, ~~oxo~~ and nitro;

R₂ is selected from the group consisting of NR₄COAr, NR₄CO-heteroaryl, NR₄Ar, CH=CH-Ar, CF=CH-Ar, CH=CF-Ar, CCl=CH-Ar, CH=CCl-Ar, CH=CH-heteroaryl, CF=CH-heteroaryl, CH=CF-heteroaryl, -CCl=CH-heteroaryl, CH=CCl-heteroaryl, OCH₂-Ar, OCH₂-heteroaryl, SCH₂-Ar and NR₄CH₂Ar;

R₃ is selected from the group consisting of hydrogen, acyl, alkyl, aralkyl, alkoxycarbonyl, alkylsulfonyl, fluorinated alkyl and arylsulfonyl;

Ar is selected from the group consisting of naphthyl, wherein naphthyl is optionally substituted with from one to four substituents independently selected from the group consisting of C₁-C₈ alkyl, C₁-C₈ alkoxy, fluorinated C₁-C₈ alkyl, fluorinated C₁-C₈ alkoxy, halogen, cyano, hydroxy, amino, nitro, C₁-C₄ alkylamino and C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different); and phenyl, wherein phenyl is optionally substituted with from one to four substituents independently selected from C₁-C₈ alkyl, C₁-C₈ alkoxy, fluorinated C₁-C₈ alkyl, fluorinated C₁-C₈ alkoxy, C₁-C₈ aralkyl (wherein the alkyl portion is optionally substituted with at least one fluorine and the aryl portion is optionally substituted with from one to two substituents selected from the group consisting of halogen, C₁-C₄ alkyl, C₁-C₆ alkylthio and hydroxy), C₁-C₈ aralkoxy (wherein the alkoxy portion is optionally substituted with at least one fluorine and the aryl portion is optionally substituted with from one to two substituents selected from the group consisting of halogen, C₁-C₄ alkyl, C₁-C₆ alkylthio and hydroxy), halogen, cyano, hydroxy, amino, nitro, C₁-C₈ alkylamino, C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different), C₁-C₈ alkylsulfonyl, C₁-C₈ alkylthio, (halo)₁₋₃(C₁-C₈)alkylthio, C₁-C₈ alkylsulfinyl, heteroaryl (optionally substituted with one to two substituents independently selected from the group consisting of C₁-C₈ alkyl and halogen), heteroaryl(C₁-C₈)alkyl (wherein the heteroaryl portion is optionally substituted with one to two substituents independently selected from C₁-C₈ alkyl) and phenyl (optionally substituted with from one to two substituents independently selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ alkoxy, fluorinated C₁-C₄ alkyl, fluorinated C₁-C₄ alkoxy, halogen, cyano, hydroxy, amino, nitro, C₁-C₄ alkylamino, C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different), C₁-C₄ alkylsulfonyl, C₁-C₄ alkylthio and C₁-C₄ alkylsulfinyl);

R₄ is selected from the group consisting of hydrogen and C₁-C₄ alkyl;

R₅ is one to two substituents independently selected from the group consisting of hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, chlorine, fluorine, hydroxy, dialkylamino

(wherein the alkyl groups on the amino may be the same or different), trifluoromethyl and trifluoromethoxy;

and (b) a pharmaceutically acceptable carrier.

Claim 66 (New) The solid oral dosage form of claim 61 wherein the additive is selected from the group consisting of diluents, granulating agents, lubricants binders, glidants, and disintegrating agents.

Claim 67 (New) The solid oral dosage form of claim 65 wherein A is -C(O)-.

Claim 68 (New) The solid oral dosage form compound of claim 65 wherein Z is CH.

Claim 69 (New) The solid oral dosage form of claim 65 wherein R₁ is one to two substituents independently selected from the group consisting of hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, and halogen.

Claim 70 (New) The solid oral dosage form of claim 60 wherein R₁ is one to two substituents independently selected from the group consisting of hydrogen, methyl, methoxy, chlorine, and fluorine.

Claim 71 (New) The solid oral dosage form of claim 65 wherein Ar is phenyl optionally substituted with from one to four substituents independently selected from the group consisting of C₁-C₈ alkyl, C₁-C₈ alkoxy, fluorinated C₁-C₈ alkyl, fluorinated C₁-C₈ alkoxy, C₁-C₈ aralkyl (wherein the alkyl portion is optionally substituted with at least one fluorine and the aryl portion is optionally substituted with from one to two substituents independently selected from the group consisting of halogen, C₁-C₄ alkyl, C₁-C₆ alkylthio and hydroxy), C₁-C₈ aralkoxy (wherein the alkoxy portion is optionally substituted with at least one fluorine and the aryl portion is optionally substituted with from one to two substituents independently selected from the group

consisting of halogen, C₁-C₄ alkyl, C₁-C₆ alkylthio and hydroxy), halogen, cyano, hydroxy, amino, nitro, C₁-C₈ alkylamino, C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different), C₁-C₈ alkylsulfonyl, C₁-C₈ alkylthio, (halo)₁₋₃(C₁-C₈)alkylthio, C₁-C₈ alkylsulfinyl, heteroaryl (optionally substituted with one to two substituents independently selected from the group consisting of C₁-C₈ alkyl and halogen), heteroaryl(C₁-C₈)alkyl (wherein the heteroaryl portion is optionally substituted with one to two substituents independently selected from C₁-C₈ alkyl) and phenyl (optionally substituted with from one to two substituents independently selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ alkoxy, fluorinated C₁-C₄ alkyl, fluorinated C₁-C₄ alkoxy, halogen, cyano, hydroxy, amino, nitro, C₁-C₄ alkylamino, C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different), C₁-C₄ alkylsulfonyl, C₁-C₄ alkylthio and C₁-C₄ alkylsulfinyl).

Claim 72 (New) The solid oral dosage form of claim 65 wherein Ar is phenyl optionally substituted with from one to four substituents independently selected from the group consisting of C₁-C₈ alkyl, C₁-C₈ alkoxy, fluorinated C₁-C₈ alkyl, halogen, hydroxy, (halo)₁₋₃(C₁-C₈)alkylthio, heteroaryl (optionally substituted with one to two substituents independently selected from the group consisting of C₁-C₈ alkyl and halogen) and phenyl (optionally substituted with from one to two substituents independently selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ alkoxy, halogen and hydroxy).

Claim 73 (New) The solid oral dosage form of claim 65 wherein Ar is phenyl optionally substituted with from one to four substituents independently selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ alkoxy, fluorinated C₁-C₄ alkyl, halogen, hydroxy, (halo)₁₋₃(C₁-C₄)alkylthio, heteroaryl (optionally substituted with one to two substituents independently selected from the group consisting of C₁-C₄ alkyl and halogen) and phenyl (optionally substituted with from one to two substituents independently selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ alkoxy, halogen and hydroxy).

Claim 74 (New) The solid oral dosage form of claim 65 wherein Ar is phenyl optionally substituted with from one to four substituents independently selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ alkoxy, fluorinated C₁-C₄ alkyl, halogen, hydroxy and (halo)₁₋₃(C₁-C₄)alkylthio, heteroaryl (optionally substituted with one to two substituents independently selected from the group consisting of C₁-C₄ alkyl and halogen) and phenyl (optionally substituted with from one to two substituents independently selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ alkoxy, halogen and hydroxy).

Claim 75 (New) The solid oral dosage form of claim 65 wherein R₂ is selected from the group consisting of NR₄COAr, NR₄CO-heteroaryl, NR₄Ar, CH=CH-Ar, CF=CH-Ar, CH=CF-Ar, CCl=CH-Ar, CH=CCl-Ar, CH=CH-heteroaryl, CF=CH-heteroaryl, CH=CF-heteroaryl, -CCl=CH-heteroaryl, CH=CCl-heteroaryl and NR₄CH₂Ar.

Claim 76 (New) The solid oral dosage form of claim 65 wherein R₂ is selected from NR₄COAr.

Claim 77 (New) The solid oral dosage form of claim 65 wherein R₂ is selected from NHCOAr.

Claim 78 (New) The compound of claim 65 wherein R₃ is selected from the group consisting of hydrogen, acyl, C₁-C₈ alkyl, ar(C₁-C₈)alkyl, C₁-C₈ alkoxycarbonyl, C₁-C₈ alkylsulfonyl, fluorinated(C₁-C₈) alkyl and arylsulfonyl.

Claim 79 (New) The compound of claim 65 wherein R₃ is selected from the group consisting of hydrogen, acyl, C₁-C₄ alkyl, ar(C₁-C₄)alkyl and trifluoro(C₁-C₄)alkyl.

Claim 80 (New) The solid oral dosage form of claim 8 wherein R₃ is selected from the group consisting of hydrogen, formyl, methyl, isopropyl, benzyl and trifluoroethyl.

Claim 81 (New) The solid oral dosage form of claim 65 wherein R₅ is one to two substituents independently selected from the group consisting of hydrogen, methyl, methoxy, chlorine, fluorine, hydroxy, dimethylamino and trifluoromethyl.

Claim 82 (New) The solid oral dosage form of claim 61 wherein R₆ is selected from the group consisting of hydrogen, C₁-C₄ alkyl, C₁-C₄ alkoxy, phenyl (wherein the phenyl is optionally substituted with from one to two substituents independently selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ alkoxy, fluorinated C₁-C₄ alkyl, fluorinated C₁-C₄ alkoxy, halogen, cyano, hydroxy, amino, nitro, C₁-C₄ alkylamino, C₁-C₄ dialkylamino (wherein the alkyl groups on the amino may be the same or different), C₁-C₄ alkylsulfonyl, C₁-C₄ alkylthio and C₁-C₄ alkylsulfinyl); heteroaryl (optionally substituted with one to two substituents independently selected from the group consisting of C₁-C₄ alkyl and halogen), heteroaryl(C₁-C₈)alkyl (wherein the heteroaryl portion is optionally substituted with one to two substituents independently selected from C₁-C₈ alkyl), (halo)₁₋₃(C₁-C₄)alkylthio and halogen.

Claim 83 (New) The solid oral dosage form of claim 61 wherein R₆ is selected from the group consisting of hydrogen, C₁-C₄ alkyl, phenyl (optionally substituted with from one to two substituents independently selected from the group consisting of C₁-C₄ alkyl, C₁-C₄ alkoxy, halogen and hydroxy), heteroaryl (optionally substituted with one to two substituents independently selected from C₁-C₄ alkyl), (halo)₁₋₃(C₁-C₄)alkylthio and halogen.

Claim 84 (New) The solid oral dosage form of claim 61 wherein R₆ is selected from the group consisting of hydrogen, methyl, phenyl (optionally substituted with from one to two substituents independently selected from the group consisting of

methyl, methoxy, fluorine and hydroxy), thienyl (optionally substituted with methyl), difluoromethylthio, fluorine, chlorine and iodine.

Claim 85 (New) The compound of claim 61 wherein R₇ is one to three substituents independently selected from the group consisting of hydrogen, fluorine, chlorine, iodine, hydroxy, C₁-C₆ alkyl, C₁-C₆ alkoxy and fluorinated C₁-C₆ alkyl.

Claim 86 (New) The solid oral dosage form of claim 61 wherein R₇ is one to three substituents independently selected from the group consisting of hydrogen, fluorine, chlorine, iodine, hydroxy, C₁-C₄ alkyl, C₁-C₄ alkoxy and fluorinated C₁-C₄ alkyl.

Claim 87 (New) The solid oral dosage form of claim 61 wherein R₇ is one to three substituents independently selected from the group consisting of hydrogen, fluorine, chlorine, iodine, hydroxy, C₁-C₂ alkyl, C₁-C₂ alkoxy and fluorinated C₁-C₂ alkyl.

Claim 88 (New) The solid oral dosage form of claim 61 wherein R₇ is one to three substituents independently selected from the group consisting of hydrogen, fluorine, chlorine, iodine, hydroxy, methyl, methoxy and trifluoromethyl.

Claim 89 (New) The solid oral dosage form of Claim 56 selected from the group consisting of

10-[4-[(2-Biphenyl)carbonyl]amino]benzoyl]-10,11-dihydro-5H-piperidino[2,1-c][1,4]benzodiazepine;

10-[4-[(2-Biphenyl)carbonyl]amino]benzoyl]-10,11-dihydro-5H-(tetrahydropyridino)[2,1-c][1,4]benzodiazepine;

(*RS*)-2-Phenyl-*N*-[4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*S*)-2-Phenyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*S*)-2-(4-Hydroxyphenyl)-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*S*)-2-Phenyl-4-hydroxy-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*S*)-2-(3-Hydroxyphenyl)-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*S*)-2-Phenyl-5-hydroxy-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-2-thienyl)-4-fluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2,6-Dimethyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2,3-Dimethyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-phenyl)-*N*-[4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*R*)-2-Phenyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-methoxy-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[2-methoxy-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2,3,4,5-Tetrafluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Chloro-5-trifluoromethyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Fluoro-3-chloro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(Difluoromethylthio)-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[2-hydroxy-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-hydroxy-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-phenyl)-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-*N*-[4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-*N*-[3-methyl-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-phenyl)-*N*-[3-methyl-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-methyl-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-phenyl)-*N*-[3-fluoro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(8-methoxy-1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(8-fluoro-1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(9-chloro-1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(8,9-difluoro-1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(8-methyl-1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(8-chloro-1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-chloro-4-(8-fluoro-1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(10-methyl-1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-3,5-Dimethyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Iodo-3-methyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-3,5-Dichloro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-3-iodo-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(2-Fluoro-phenyl)-*N*-[4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*S*)-2-Phenyl-*N*-[3-dimethylamino-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*S*)-2-Phenyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

and pharmaceutically acceptable salts thereof.

Claim 90 (New) The solid oral dosage form of Claim 65 selected from the group consisting of

(*RS*)-2-(3-Thienyl)-*N*-[4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(3-Thienyl)-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(3-Thienyl)-*N*-[3-fluoro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(2-Thienyl)-*N*-[4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-2-thienyl)-*N*-[4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-2-thienyl)-*N*-[4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(1,3,4,12a-tetrahydro-2,2-dioxo-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(1,3,4,12a-tetrahydro-2-benzyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(1,3,4,12a-tetrahydro-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(1,3,4,12a-tetrahydro-2-formyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-isopropyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2,3-Dimethyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2,6-Dimethyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-phenyl)-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methoxy-phenyl)-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(3-Methoxy-phenyl)-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-fluoro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[2-methoxy-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-phenyl)-*N*-[2-methoxy-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-phenyl)-*N*-[3-trifluoromethyl-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-phenyl)-*N*-[2-methyl-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-*N*-[3-methoxy-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-methoxy-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methyl-phenyl)-*N*-[3-methoxy-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-*N*-[4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-methyl-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-(2,2,2-trifluoroethyl)-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2,3,4,5-Tetrafluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-5-fluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-3-chloro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2,3-Dichloro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2,6-Dichloro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-5-fluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-3-fluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-5-fluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-4-fluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-fluoro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-methyl-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-methoxy-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-*N*-[3-hydroxy-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]thiazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Methyl-5-fluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-5-fluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(4-Methoxy-phenyl)-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-(3-Methoxy-phenyl)-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-4-fluoro-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-4-methoxy-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

(*RS*)-2-Phenyl-5-methoxy-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide;

and pharmaceutically acceptable salts thereof.

Claim 91 (New) A method of treating a condition selected from hypertension, congestive heart failure, cardiac insufficiency, coronary vasospasm, cardiac ischemia, liver cirrhosis, renal vasospasm, renal failure, cerebral edema and ischemia, stroke, thrombosis, or water retention in a subject in need thereof comprising administering to the subject a therapeutically effective amount of the compound of Claim 1.

Claim 92 (New) The method of Claim 91, wherein the condition is congestive heart failure.

Claim 93 (New) The method of Claim 91, wherein the therapeutically effective amount of the compound is about 0.1 to about 300 mg/kg/day.

Claim 94 (New) A method of treating a condition selected from hypertension, congestive heart failure, cardiac insufficiency, coronary vasospasm, cardiac ischemia, liver cirrhosis, renal vasospasm, renal failure, cerebral edema and ischemia, stroke, thrombosis, or water retention in a subject in need thereof comprising administering to the subject a therapeutically effective amount of the compound of Claim 65.

Claim 95 (New) The method of Claim 94, wherein the condition is congestive heart failure.

Claim 96 (New) The method of Claim 94, wherein the therapeutically effective amount of the compound is about 0.1 to about 300 mg/kg/day.

Claim 97 (New) A method of treating a condition selected from hypertension, congestive heart failure, cardiac insufficiency, coronary vasospasm, cardiac ischemia, liver cirrhosis, renal vasospasm, renal failure, cerebral edema and ischemia, stroke, thrombosis, or water retention in a subject in need thereof comprising administering to the subject a therapeutically effective amount of the compound of Claim 61.

Claim 98 (New) The method of Claim 97, wherein the condition is congestive heart failure.

Claim 99 (New) The method of Claim 97, wherein the therapeutically effective amount of the compound is about 0.1 to about 300 mg/kg/day.

Claim 100 (New) The compound of claim 89 wherein the compound is (*S*)-2-Phenyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-6*H*-[1,4]oxazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide and pharmaceutically acceptable salts thereof.

Claim 101 (New) The compound of claim 90 wherein the compound is (*RS*)-2-Phenyl-*N*-[3-chloro-4-(1,3,4,12a-tetrahydro-2-methyl-6*H*-[1,4]pyrazino[4,3-*a*][1,4]-benzodiazepin-11(12*H*)-yl-carbonyl)phenyl]benzamide and pharmaceutically acceptable salts thereof.